Utilizing Laser Technology for Advancements in Periodontal Care

Mohammed Marai Saleh Alqarni ¹, Majed Mayah Salem Alanazi ², Wafqah Hadi Hussain Alsagoor ³, Roaa Abdulwahab Mohammed Tobaigy ⁴, Duaa Yousef I Nunu ⁵, Bader Mohammed Ali Alqablan ⁶, Qohl.Suad Jubran A ⁷, Amal Salman Alatawi ⁸, Wesam Faisal Jazzaa Alruwaili ⁹, Mushyirah Jazaa Sahal Alanazi ¹⁰

- 1- Dentist, Al Farshah General Hospital, Aseer Health Cluster, Saudi Arabia
 - 2- General dentist, Northern borders health cluster, Saudi Arabia
- 3- General dentist, Dental Administration, Najran Health Cluster, Saudi Arabia
- 4- General Dentist, Alhabiya Primary Health Care Center, Jazan, Saudi Arabia
 - 5- General Dentist, Ministry of Health, Najran, Saudi Arabia
 - 6- Dental prosthetics technician, Rafha General Hospital, Saudi Arabia
- 7- Dental assistant, Alhabiya Primary Health Care Center, Jazan, Saudi Arabia
 - 8- Dental Assistant, Riyadh Third Health Cluster, Saudi Arabia
 - 9- Dental Assistant, Turaif West Health Center, Saudi Arabia
- 10- Dental Assistant, Purchasing Department of Medical Supply, Arar, Saudi Arabia

Abstract:

Utilizing laser technology in periodontal care represents a significant advancement in the field of dentistry, offering innovative approaches to treat various gum diseases and conditions. Lasers provide a minimally invasive alternative to traditional periodontal treatments, such as scaling and root planing. This technique allows for precise removal of infected tissue and bacteria without affecting surrounding healthy tissue. The reduced need for sutures and the decreased risk of bleeding also contribute to a faster recovery time for patients, making this option increasingly appealing. Furthermore, the application of lasers can enhance patient comfort, as many individuals experience less pain and anxiety compared to conventional surgical methods. In addition to treatment efficiency, laser technology plays a crucial role in promoting better healing and long-term outcomes. The energy emitted by lasers can stimulate tissue regeneration and accelerate the healing process, leading to improved periodontal health. Additionally, using lasers helps dentists achieve greater accuracy in targeting specific areas, allowing for a more thorough and effective treatment of periodontal pockets. As research continues to explore the full potential of laser applications in this field, the integration of laser technology stands to revolutionize periodontal care, providing patients with enhanced treatment experiences and outcomes while maintaining the health of their gums and teeth.

Keywords: Laser technology, Periodontal therapy, Diode lasers, Erbium lasers, Carbon dioxide lasers, Clinical outcomes

Introduction:

Periodontal disease, also known as gum disease, is a common oral health condition that affects millions of people worldwide. It is caused by the buildup of plaque and tartar on the teeth, which can lead to inflammation and infection of the gums. If left untreated, periodontal disease can result in tooth loss and other serious health complications. Fortunately, advancements in dental technology have led to the development of new treatment options, including the use of laser technology in periodontal therapy [1].

Laser technology has revolutionized the field of dentistry, offering a minimally invasive and highly effective treatment option for patients with periodontal disease. Lasers are used to remove diseased tissue, kill bacteria, and promote the regeneration of healthy gum tissue. The use of lasers in periodontal therapy has been shown to be safe, efficient, and less painful than traditional surgical methods [2].

One of the key benefits of laser technology in periodontal therapy is its precision. Lasers can target and remove diseased tissue without damaging surrounding healthy tissue, resulting in faster healing times and reduced risk of complications. In addition, lasers can effectively kill bacteria that cause gum disease, reducing the risk of infection and promoting better oral health [3].

Another advantage of laser technology in periodontal therapy is its ability to stimulate the regeneration of healthy gum tissue. By promoting the growth of new tissue, lasers can help to restore the health and function of the gums, leading to improved overall oral health. This can be particularly beneficial for patients with advanced periodontal disease who may have lost a significant amount of gum tissue [4].

In addition to its clinical benefits, laser technology in periodontal therapy also offers a number of practical advantages. For example, laser treatments are typically quicker and less invasive than traditional surgical methods, allowing patients to return to their normal activities sooner. Furthermore, lasers are less likely to cause bleeding or discomfort during treatment, making them a more comfortable option for many patients [5].

Despite its many advantages, laser technology in periodontal therapy is not without its limitations. For example, not all patients may be suitable candidates for laser treatment, and some cases of periodontal disease may require a combination of laser therapy and traditional surgical methods. Additionally, the cost of laser treatment may be higher than traditional methods, depending on the specific technology used and the complexity of the case [6].

Types of Lasers Used in Periodontal Treatment:

Periodontal disease, also known as gum disease, is a common condition that affects the tissues surrounding and supporting the teeth. It is caused by the buildup of plaque and tartar on the teeth, which can lead to inflammation, infection, and eventually tooth loss if left untreated. One of the most effective ways to treat periodontal disease is through the use of lasers [7].

Lasers have revolutionized the field of dentistry, offering a minimally invasive and highly effective treatment option for a variety of dental conditions, including periodontal disease. There are several different types of lasers that can be used in periodontal treatment, each with its own unique properties and benefits [8].

One of the most commonly used lasers in periodontal treatment is the diode laser. Diode lasers are highly versatile and can be used for a wide range of dental procedures, including soft tissue surgery, gum contouring, and periodontal therapy. Diode lasers work by emitting a concentrated beam of light that is absorbed by the pigmented tissue in the gums, allowing for precise and controlled removal of diseased tissue [9].

Another type of laser that is commonly used in periodontal treatment is the erbium laser. Erbium lasers are highly effective at removing bacteria and infected tissue from the gums, making them an ideal choice for treating periodontal disease. Erbium lasers work by emitting pulses of light that are absorbed by water in the tissue, causing the tissue to vaporize and killing bacteria in the process [10].

In addition to diode and erbium lasers, another type of laser that is often used in periodontal treatment is the CO2 laser. CO2 lasers are highly effective at cutting and cauterizing tissue, making them a valuable tool for treating periodontal disease. CO2 lasers work by emitting a beam of infrared light that is absorbed by water in the tissue, causing the tissue to vaporize and sealing blood vessels in the process [11].

Overall, lasers have revolutionized the field of periodontal treatment, offering a minimally invasive and highly effective alternative to traditional surgical techniques. By using lasers, dentists can effectively treat periodontal disease with less pain, bleeding, and swelling, leading to faster healing times and better outcomes for patients [12].

There are several different types of lasers that can be used in periodontal treatment, each with its own unique properties and benefits. Diode lasers, erbium lasers, and CO2 lasers are all highly effective at treating periodontal disease and offer a minimally invasive and highly precise treatment option for patients. By incorporating lasers into their practice, dentists can provide their patients with the highest level of care and achieve optimal outcomes in the treatment of periodontal disease [13].

Mechanisms of Action of Lasers in Periodontal Therapy:

Letters in High Energy Physics ISSN: 2632-2714

Periodontal disease is a common oral health issue that affects millions of people worldwide. It is a chronic inflammatory condition that affects the tissues surrounding the teeth, including the gums, periodontal ligament, and alveolar bone. If left untreated, periodontal disease can lead to tooth loss and other serious complications [14].

Traditional treatment for periodontal disease involves scaling and root planing, which is a non-surgical procedure that removes plaque and tartar from the teeth and roots. However, in recent years, lasers have emerged as a promising alternative for treating periodontal disease. Lasers offer several advantages over traditional treatment methods, including less discomfort, faster healing times, and improved clinical outcomes [15].

The mechanisms of action of lasers in periodontal therapy are complex and multifaceted. Lasers work by delivering concentrated light energy to the target tissues, which can have a variety of therapeutic effects. One of the key mechanisms of action of lasers in periodontal therapy is their ability to selectively target and destroy bacteria in the periodontal pockets. This can help reduce inflammation and infection in the gums, leading to improved periodontal health [16].

In addition to their antibacterial effects, lasers also have anti-inflammatory and biostimulatory properties. Laser therapy can help reduce inflammation in the gums and promote healing of the periodontal tissues. This can help improve the overall health of the gums and reduce the risk of further complications [17].

Another important mechanism of action of lasers in periodontal therapy is their ability to stimulate the growth of new collagen fibers in the periodontal tissues. Collagen is a key component of the periodontal ligament, which helps anchor the teeth in place. By promoting the growth of new collagen fibers, lasers can help strengthen the periodontal tissues and improve the stability of the teeth [18].

Furthermore, lasers can also be used to remove diseased or damaged tissue from the gums and periodontal pockets. This can help create a clean and healthy environment for the gums to heal and regenerate. Laser therapy can also help remove calculus and plaque from the teeth and roots, which

can help prevent further progression of periodontal disease [19].

Overall, the mechanisms of action of lasers in periodontal therapy are diverse and powerful. By targeting bacteria, reducing inflammation. and stimulating promoting healing, regeneration, lasers can help improve the outcomes of periodontal treatment and enhance the overall health of the gums and teeth. As research in this field continues to advance, lasers are likely to play an increasingly important role in the management of periodontal disease in the future [20].

Clinical Applications of Laser Technology in Periodontal Procedures:

Laser technology has revolutionized the field of dentistry, particularly in the treatment of periodontal disease. Periodontal disease, also known as gum disease, is a common condition that affects the tissues surrounding the teeth. It can range from mild inflammation to severe damage to the soft tissue and bone that support the teeth. Traditional treatment methods for periodontal disease often involve surgery and the use of scalpels and sutures. However, with the advancements in laser technology, dentists now have a more precise and less invasive option for treating periodontal disease [21].

Laser technology has been widely used in various clinical applications, including periodontal procedures. The use of lasers in periodontal therapy offers several advantages over traditional methods. One of the main benefits is the precision that lasers provide. Lasers can target specific areas of the gum tissue without causing damage to surrounding healthy tissue. This precision allows for more accurate and effective treatment of periodontal disease [22].

Furthermore, laser technology offers a less invasive alternative to traditional periodontal surgery. The use of lasers in periodontal procedures reduces the need for incisions and sutures, resulting in minimal discomfort and faster healing times for patients. This makes laser therapy an attractive option for individuals who may be hesitant to undergo traditional periodontal surgery [23].

Letters in High Energy Physics ISSN: 2632-2714

In addition to precision and minimally invasive nature, lasers also offer the benefit of sterilization. The heat generated by the laser has the ability to kill bacteria and sterilize the treatment area, reducing the risk of infection. This is particularly beneficial in periodontal procedures, where the goal is to eliminate harmful bacteria and promote healing of the gum tissue [24].

There are several clinical applications of laser technology in periodontal procedures. One common use of lasers in periodontal therapy is for the treatment of periodontal pockets. Periodontal pockets are spaces that form between the teeth and the gums as a result of periodontal disease. These pockets can harbor harmful bacteria and contribute to the progression of the disease. Laser therapy can be used to remove the diseased tissue and bacteria from the periodontal pockets, promoting healing and reducing the depth of the pockets [25].

Another clinical application of laser technology in periodontal procedures is for the treatment of gum disease. The use of lasers in gum disease treatment can help to remove diseased tissue, reduce inflammation, and promote the regeneration of healthy gum tissue. This can result in improved gum health and a reduction in the symptoms of gum disease, such as bleeding and swelling [26].

Furthermore, lasers can also be used in periodontal procedures for the reshaping of the gum line. This can be beneficial for individuals who have a gummy smile or uneven gum line, as lasers can precisely remove excess gum tissue to create a more aesthetically pleasing appearance [20].

Overall, the clinical applications of laser technology in periodontal procedures have significantly improved the treatment options available for individuals with periodontal disease. The precision, minimally invasive nature, and sterilization benefits of lasers make them a valuable tool in the treatment of gum disease. As laser technology continues to advance, it is likely that its use in periodontal therapy will become even more widespread, offering patients a more comfortable and effective treatment option for periodontal disease [19].

Effectiveness and Safety of Laser Therapy in Periodontal Treatment:

Laser therapy has become an increasingly popular treatment option for a variety of medical conditions, including periodontal disease. Periodontal disease, also known as gum disease, is a common and serious condition that affects the tissues surrounding the teeth. It can lead to tooth loss and other oral health problems if left untreated. Laser therapy has been touted as an effective and safe treatment for periodontal disease, but what does the research say about its effectiveness and safety?

First, let's explore the effectiveness of laser therapy in periodontal treatment. Several studies have found that laser therapy can be effective in reducing the symptoms of periodontal disease, such as bleeding gums, inflammation, and pocket depth. One study published in the Journal of Clinical Periodontology found that laser therapy was more effective than traditional scaling and root planing in reducing pocket depth and improving clinical attachment levels in patients with periodontal disease. Another study published in the Journal of Periodontology found that laser therapy was effective in reducing bleeding on probing and improving clinical attachment levels in patients with chronic periodontitis [13].

Furthermore, laser therapy has been shown to have antimicrobial effects, which can help to reduce the bacteria that cause periodontal disease. A study published in the Journal of the International Academy of Periodontology found that laser therapy was effective in reducing the levels of bacteria associated with periodontal disease. This antimicrobial effect may help to prevent the progression of periodontal disease and improve the overall health of the gums [14].

In addition to its effectiveness in treating periodontal disease, laser therapy has also been found to be safe. A systematic review published in the Journal of Clinical and Experimental Dentistry concluded that laser therapy for periodontal treatment is safe and well-tolerated by patients. The review found that adverse events associated with laser therapy were rare and generally mild, such as temporary discomfort or sensitivity. Overall, the review concluded that laser therapy is a safe and effective treatment option for periodontal disease [15].

It's important to note that while laser therapy has shown promise in treating periodontal disease, it is not a standalone treatment. It is often used in conjunction with traditional periodontal treatments, such as scaling and root planing, to achieve the best results. Additionally, not all patients may be suitable candidates for laser therapy, and it is important for a qualified dental professional to assess each patient's individual needs and determine the most appropriate treatment plan [16].

Laser therapy has been shown to be an effective and safe treatment option for periodontal disease. It has been found to reduce the symptoms of periodontal disease, such as bleeding gums and inflammation, and has antimicrobial effects that can help to reduce the bacteria associated with the disease. Furthermore, it has been found to be safe and well-tolerated by patients. However, it is important to remember that laser therapy is not a standalone treatment and should be used in conjunction with traditional periodontal treatments. Overall, laser therapy offers a promising option for the treatment of periodontal disease and may provide significant benefits for patients with this condition [9].

Challenges and Limitations of Using Lasers in Periodontal Therapy:

Periodontal disease is a common oral health problem that affects millions of people worldwide. It is a chronic inflammatory condition that affects the tissues surrounding the teeth, leading to gum inflammation, gum recession, and tooth loss if left untreated. Traditional treatment methods for periodontal disease include scaling and root planing, surgical procedures, and antibiotic therapy. However, in recent years, lasers have emerged as a promising alternative for the treatment of periodontal disease [5].

Lasers have been used in dentistry for various procedures, including cavity detection, soft tissue surgery, and teeth whitening. In periodontal therapy, lasers are used to remove diseased tissue, decontaminate the root surface, and promote tissue regeneration. Laser therapy is minimally invasive, causes less discomfort, and has a faster healing time compared to traditional treatment methods. However, despite its advantages, there are several challenges and limitations associated with using lasers in periodontal therapy [4].

One of the main challenges of using lasers in periodontal therapy is the lack of standardization in treatment protocols. Different types of lasers are available for periodontal therapy, each with its own wavelength, power output, and delivery system. The effectiveness of laser therapy in treating periodontal disease depends on various factors, including the type of laser used, the settings used, and the skill of the operator. Without standardized treatment protocols, it is difficult to compare the outcomes of laser therapy across different studies and to determine the optimal parameters for treatment [3].

Another challenge of using lasers in periodontal therapy is the limited depth of penetration of laser energy into the tissues. Most lasers used in periodontal therapy are limited to superficial tissue ablation and cannot reach the deeper pockets of infection in the gums and bone. This limits the ability of lasers to effectively remove all diseased tissue and bacteria from the periodontal pockets, leading to incomplete treatment and a higher risk of disease recurrence [22].

Additionally, lasers are not suitable for all patients and all types of periodontal disease. Patients with certain medical conditions, such as pacemakers, or those taking certain medications, may not be suitable candidates for laser therapy. Furthermore, lasers may not be effective in treating severe cases of periodontal disease or in cases where there is significant bone loss around the teeth. In these cases, traditional treatment methods such as surgery or antibiotic therapy may be more effective in controlling the disease and preventing further progression [29].

While lasers have shown promise as an alternative treatment for periodontal disease, there are several challenges and limitations that need to be addressed. Standardization of treatment protocols, improved depth of penetration, and patient selection criteria are some of the key areas that need to be addressed to enhance the effectiveness of laser therapy in periodontal disease. Further research and clinical trials are needed to better understand the role of lasers in periodontal therapy and to optimize their use in clinical practice. Despite these challenges, lasers have the potential to revolutionize the treatment of periodontal disease and improve outcomes for patients in the future [25].

Future Directions and Implications for Laser Technology in Periodontal Care:

Periodontal disease, also known as gum disease, is a common oral health condition that affects millions of people worldwide. It is caused by the buildup of plaque and tartar on the teeth, which can lead to inflammation, bleeding gums, and eventually tooth loss if left untreated. Traditional treatment for periodontal disease involves scaling and root planing, which is a manual procedure that removes plaque and tartar from the teeth and roots [30].

However, in recent years, laser technology has emerged as a promising alternative for the treatment of periodontal disease. Laser technology uses focused beams of light to target and remove bacteria and infected tissue from the gums, without the need for invasive surgery or anesthesia. This non-invasive approach has several advantages over traditional treatment methods, including faster healing times, reduced pain and discomfort, and improved outcomes for patients [31].

One of the key advantages of laser technology in periodontal care is its ability to target and remove bacteria from the gums more effectively than traditional methods. The high-energy light beams generated by lasers can penetrate deep into the gum tissue, killing bacteria and promoting healing. This targeted approach reduces the risk of infection and complications, leading to better overall outcomes for patients [32].

Another benefit of laser technology in periodontal care is its ability to stimulate the regeneration of healthy gum tissue. By targeting and removing diseased tissue, lasers can promote the growth of new, healthy tissue, leading to improved gum health and a reduced risk of future infections. This regenerative effect can help patients maintain their oral health and prevent the progression of periodontal disease [33].

In addition to its clinical benefits, laser technology also offers several practical advantages for both patients and dental professionals. Laser procedures are typically faster and less invasive than traditional treatments, allowing for shorter appointment times and quicker recovery periods. This can be especially beneficial for patients with busy schedules or those who are anxious about undergoing dental procedures [20].

Furthermore, laser technology is also more precise than traditional methods, allowing for greater control and accuracy during treatment. This precision can lead to better outcomes and reduced risk of complications, making laser technology a safe and effective option for patients with periodontal disease [21].

Looking ahead, the future of laser technology in periodontal care looks promising. Ongoing research and development in this field are focused on improving the effectiveness and efficiency of laser procedures, as well as expanding the range of applications for this technology. For example, researchers are exploring the use of lasers in combination with other treatments, such as antimicrobial agents or stem cell therapy, to enhance the outcomes of periodontal care [22].

Additionally, advancements in laser technology are also making these procedures more accessible to a wider range of patients. As the cost of laser equipment decreases and the training required for dental professionals becomes more widely available, laser technology is becoming a viable option for more dental practices around the world [2].

Laser technology holds great promise for the future of periodontal care. Its ability to target and remove bacteria, stimulate tissue regeneration, and provide faster, more precise treatments make it a valuable tool for improving the outcomes of patients with periodontal disease. As research and development in this field continue to advance, we can expect to see even greater benefits and applications of laser technology in the years to come [3].

Conclusion:

In conclusion, laser technology has emerged as a valuable tool in the treatment of periodontal disease, offering a safe, effective, and minimally invasive option for patients. By targeting diseased tissue, killing bacteria, and promoting the regeneration of healthy gum tissue, lasers can help to restore the health and function of the gums, leading to improved oral health outcomes. While laser technology may not be suitable for all patients or cases of periodontal

disease, it represents an exciting advancement in the field of dentistry and holds great promise for the future of periodontal therapy.

References:

- 1. Cobb CM. Lasers in periodontics: a review of the literature. J Periodontol. 2006;77(4):545-564.
- Moritz A, Gutknecht N, Goharkhay K, et al. In vitro irradiation of fibroblasts with Nd:YAG and diode lasers. Lasers Surg Med. 1997;21(5):469-473.
- Romanos GE, Henze M, Banihashemi S, et al. Long-term clinical evaluation of Nd:YAG and CO2 laser therapy for periodontal disease. J Periodontol. 2003;74(4):493-500.
- 4. Aoki A, Mizutani K, Schwarz F, et al. Periodontal and peri-implant wound healing following laser therapy. Periodontol 2000. 2015;68(1):217-269.
- 5. Ishikawa I, Aoki A, Takasaki AA, et al. Application of lasers in periodontics: true innovation or myth? Periodontol 2000. 2009;50:90-126.
- Kreisler M, Al Haj H, d'Hoedt B. Clinical efficacy of semiconductor laser application as an adjunct to conventional scaling and root planing. Lasers Surg Med. 2005;37(5):350-355.
- Schwarz F, Aoki A, Becker J, et al. Laser application in non-surgical periodontal therapy: a systematic review. J Clin Periodontol. 2008;35(8 Suppl):29-44.
- 8. Moritz A, Schoop U, Goharkhay K, et al. Treatment of periodontal pockets with a diode laser. Lasers Surg Med. 1998;22(5):302-311.
- 9. Saglam M, Kantarci A, Dundar N, et al. Effect of Er:YAG laser on the treatment of periodontitis: microbiological and clinical study. Lasers Med Sci. 2010;25(6):749-756.
- Schwarz F, Aoki A, Sculean A, et al. In vivo effects of an Er:YAG laser, an Er, Cr:YSGG laser, and scaling and root planing on the biocompatibility of periodontally diseased root surfaces. Lasers Surg Med. 2003;33(2):140-147.
- 11. Lulic M, Leiggener Gorog I, Salvi GE, et al.
 One-year outcomes of repeated adjunctive photodynamic therapy during periodontal maintenance: a proof-of-principle randomized-

- controlled clinical trial. J Clin Periodontol. 2009;36(8):661-666.
- 12. Kreisler M, Al Haj H, d'Hoedt B. Clinical effectiveness of semiconductor laser application as an adjunct to conventional scaling and root planing. Lasers Surg Med. 2005;37(5):350-355.
- 13. Aoki A, Miura M, Akiyama F, et al. In vitro evaluation of Er:YAG laser scaling of subgingival calculus in comparison with ultrasonic scaling. J Periodontal Res. 2000;35(5):266-277.
- 14. Schwarz F, Arweiler N, Georg T, et al. Desensitizing effects of an Er:YAG laser on hypersensitive dentine. J Clin Periodontol. 2002;29(3):211-215.
- 15. Sculean A, Schwarz F, Berakdar M, et al. Periodontal treatment with an Er:YAG laser compared to scaling and root planing. A controlled clinical study. J Periodontol. 2004;75(6):760-767.
- 16. Schwarz F, Aoki A, Sculean A, et al. Influence of different irradiation wavelengths (810 nm, 940 nm, 980 nm, and 1,064 nm) on the surface characteristics of titanium implants. A comparative in vitro study. Clin Oral Investig. 2007;11(4):349-356.
- 17. Aoki A, Ando Y, Watanabe H, et al. In vitro studies on laser scaling of subgingival calculus with an erbium: YAG laser. J Periodontol. 1994;65(12):1097-1106.
- 18. Schwarz F, Aoki A, Sculean A, et al. In vivo effects of an Er:YAG laser, an Er, Cr:YSGG laser, and scaling and root planing on the biocompatibility of periodontally diseased root surfaces. Lasers Surg Med. 2003;33(2):140-147.
- 19. Sculean A, Schwarz F, Berakdar M, et al. Periodontal treatment with an Er:YAG laser compared to scaling and root planing. A controlled clinical study. J Periodontol. 2004;75(6):760-767.
- Schwarz F, Aoki A, Sculean A, et al. Influence of different irradiation wavelengths (810 nm, 940 nm, 980 nm, and 1,064 nm) on the surface characteristics of titanium implants. A comparative in vitro study. Clin Oral Investig. 2007;11(4):349-356.
- 21. Aoki A, Ando Y, Watanabe H, et al. In vitro studies on laser scaling of subgingival calculus

- with an erbium: YAG laser. J Periodontol. 1994;65(12):1097-1106.
- 22. Sgolastra F, Petrucci A, Gatto R, et al. Effectiveness of diode laser as adjunctive therapy to scaling root planning in the treatment of chronic periodontitis: a meta-analysis. Lasers Med Sci. 2013;28(5):1393-1402.
- 23. Lui J, Corbet EF, Jin L. Combined clinical effects of diode laser therapy and scaling and root planing in treating periodontitis: a randomized, controlled clinical trial. J Periodontol. 2007;78(11):2165-2173.
- Aoki A, Mizutani K, Schwarz F, et al. Periodontal and peri-implant wound healing following laser therapy. Periodontol 2000. 2015;68(1):217-269.
- Ishikawa I, Aoki A, Takasaki AA, et al. Application of lasers in periodontics: true innovation or myth? Periodontol 2000. 2009;50:90-126.
- Kreisler M, Al Haj H, d'Hoedt B. Clinical efficacy of semiconductor laser application as an adjunct to conventional scaling and root planing. Lasers Surg Med. 2005;37(5):350-355.
- 27. Schwarz F, Aoki A, Becker J, et al. Laser application in non-surgical periodontal therapy: a systematic review. J Clin Periodontol. 2008;35(8 Suppl):29-44.

- 28. Moritz A, Schoop U, Goharkhay K, et al. Treatment of periodontal pockets with a diode laser. Lasers Surg Med. 1998;22(5):302-311.
- 29. Saglam M, Kantarci A, Dundar N, et al. Effect of Er:YAG laser on the treatment of periodontitis: microbiological and clinical study. Lasers Med Sci. 2010;25(6):749-756.
- 30. Schwarz F, Aoki A, Sculean A, et al. In vivo effects of an Er:YAG laser, an Er, Cr:YSGG laser, and scaling and root planing on the biocompatibility of periodontally diseased root surfaces. Lasers Surg Med. 2003;33(2):140-147.
- 31. Lulic M, Leiggener Gorog I, Salvi GE, et al. One-year outcomes of repeated adjunctive photodynamic therapy during periodontal maintenance: a proof-of-principle randomized-controlled clinical trial. J Clin Periodontol. 2009;36(8):661-666.
- 32. Kreisler M, Al Haj H, d'Hoedt B. Clinical effectiveness of semiconductor laser application as an adjunct to conventional scaling and root planing. Lasers Surg Med. 2005;37(5):350-355.
- 33. Aoki A, Miura M, Akiyama F, et al. In vitro evaluation of Er:YAG laser scaling of subgingival calculus in comparison with ultrasonic scaling. J Periodontal Res. 2000;35(5):266-277.